

Urara MIZUSHIMA*: **Nomenclatorial changes in *Ertodon***
(Taxonomic notes on Japanese Mosses (2))

水島うらら*: ツヤゴケ属植物の新名 (日本産蘚類寸評 2)

For a correct use of names, the following note containing 11 species with synonyms is offered here. For reasons please see the coming no. 22 of the Journal of Hattori Botanical Laboratory.

(1) ***Entodon concinnus*** (De Not.) Paris, Index Bryol. ed, 2, 2: 130 (1904)

subsp. ***concinnus***

Hypnum schreberi γ *orthocarpum* Brid., Bryol. Univ. 2: 422 (1827)

H. orthocarpum La Pyl. pro syn. in Brid. 1. c. (1827)

H. concinnum De Not., Mant. n. 18 (1835) et Syll. 45 (1838)

Isothecium insidiosum Nont. in Ann. Sc. 20: 252, t. 15, f. 1 (1843)

Entodon montagnei C. Müll. in Linn. 18: 708 (1844)

Neckera orthocarpa C. Müll., Synops. Musc. 2: 69 (1850)

Cylindrothecium montagnei B.S.G., Bryol. Eur. fasc. 46-47, mon. 6, t. 469 (1851)

C. concinnum Schimp., Synops. ed. 1: 515 (1860)

E. orthocarpus Lindb., Musc. Seand. 39 (1879)

subsp. ***caliginosus*** (Mitt.) U. Mizushima stat. nov.

var. *caliginosus*, forma *caliginosus*.

Stereodon caliginosus Mitt. in Journ. Proc. Linn. Soc. Suppl. Bot. 1: 108 (1859)

E. caliginosus (Mitt.) Jaeg. et Sauerb. in Ber. Thät. St. Gall. Nat. Ges. 1876-77: 285 (1876-77)

E. amblyophyllus C. Müll. Nuov. Giorn. Bot. Ital. 3: 110 (1896) syn. nov.

E. pseudo-orthocarpus C. Müll. 1. c. (1896) et ibid. 5: 194 (1898) syn. nov.

E. serpentinus C. Müll., 1. c. (1898) syn. nov.

E. subramulosus Broth. in Handel-Mazzetti, Symbol. Sin. 4, Musci, 112 (1898) syn. nov.

* [redacted] Fuchu, Tokyo. 東京都府中市 [redacted]

forma **subtilis** (C. Müll.) U. Mizushima stat. et comb. nov.

E. pseudo-orthocarpus C. Müll. var. *subtilis* C. Müll. ibid. 195 (1898)
var. **fauriei** (Broth. et Par.) U. Mizushima stat. nov.

E. fauriei Broth. et Pais ex Paris in Rev. Bryol. **31**: 60 (1904)

(2) **E. buricundus** (Mitt.) Jaeg. et Sauerb. in Ber. Thät. St. Gall. Nat. Ges.
1876-77: 285 (1879)

Neckera flavescens Hook. in Trans. Linn. Soc. Lond. **9**: 413, t. 27 f.
2 (1804)

N. coarctata C. Müll. ex parte, Synops. Musc. **2**: 69 (1851) fide Mitten
in Journ. Proc. Linn. Soc. Suppl. Bot. **1**: 108 (1859)

Stereodon rubicundus Mitt., l. c. (1859)

S. griffithii Mitt., l. c. (1859)

E. griffithii (Mitt.) Jaeg. et Sauerb. in Ber. Thät. St. Gall. Nat. Ges.
1876-77: 293 (1876-77) syn. nov.

E. ramulosus Mitt. in Trans. Linn. Soc. Lond. ser. 2, Bot. **3**: 60
(1891)

E. rubrissimus Sakurai in Journ. Jap. Bot. **28**: 59, f. 5 (1953)

E. ramulosus Mitt. forma *rubrissimus* (Sak.) U. Mizushima in Journ.
Jap. Bot. **32**: 159 (1957) syn. nov.

E. japonicus C. Müll. mss.

(3) **E. sullivantii** (C. Müll.) Lindb. in Act. Soc. Sci. Fenn. **10**: 233 (1872)

var. **sullivantii**.

Neckera sullivantii C. Müll., Synops. Musc. **2**: 65 (1851)

var. **attenuatus** (Mitt.) U. Mizushima stat. nov.

E. attenuatus Mitt. in Trans. Linn. Soc. Lond. ser. 2, Bot. **3**: 179
(1891)

E. akitensis Besch. in Journ. Bot. **13**: 44 (1899) syn. nov.

E. chloroticus Besch. in Journ. Bot. **13**: 43 (1899) syn. nov.

E. flaccidus Besch., l. c. (1899) syn. nov.

E. herbaceus Besch., l. c. (1899) syn. nov.

E. tosaе Besch. l. c. (1899) syn. nov.

E. rigidus Noguchi in Journ. Jap. Bot. **14**: 29, f. 4 (1948) syn. nov.

E. subdiversinervis Sakurai in Journ. Jap. Bot. **28**: 60, f. 6 (1953)
syn. nov.

(4) **E. compressus** C. Müll. in Linn. **18**: 707 (1844), excl. syn. Hedw.

- Neckera compressa* C. Müll., Synops. Musc. **2**: 66 (1851)
- E. abbreviatus* Mitt. in Trans. Linn. Soc. Lond. ser. 2, Bot. **3**: 59 (1959)
- Cylindrothecium challengerii* Paris, Index Bryol. ed. 1, 196 (1894)
- E. challengerii* (Paris) Card in Beih. Bot. Centralbl. **17**: 32 (1904) syn. nov.
- E. challengerii* Paris Index Bryol. ed. 2, **2**: 129 (1904) syn. nov.
- E. osadae* Sakurai in Bot. Mag. Tokyo **50**: 308, f. 6, a-c (1936)
- Cymbifoliella sasaokae* Dix. in Journ. of Bot. **74**: 8, pl. 60, f. 8 (1936)
- (5) **E. okamuræ** Broth. ex Card. in Bull. Soc. Bot. Gén. 2 ser. **3**: 285 (1911)
- E. andoi* Sh. Okam. in Journ. Coll. Sci. Imp. Univ. Tokyo **36** (7): 22, t. 11 (1915) syn. nov.
- E. arenosus* Sh. Okam. in Journ. Coll. Sci. Imp. Univ. Tokyo **38** (4): 48, f. 21 (1916) syn. nov.
- E. cochleatus* Broth. in Sitzungsber. Akd. Wissensch. Wien. Mathem.-naturw. Klasse, Abt. 1, 131: 217 (1922) syn. nov.
- (6) **E. giraldii** C. Müll. in Nuov. Giorn. Bot. Ital. **4**: 264 (1897)
- Synodontella japonica* Dix. et Thér. ex Dix. in Journ. Bot. **74**: 9, pl. 610, f. 10 (1936)
- E. bungoensis* Noguchi in Journ. Jap. Bot. **23**: 118, f. 39 (1949) syn. nov.
- E. japonicus* (Dix. et Thér.) Noguchi in Journ. Jap. Bot. **26**: 337, f. 1 (1951) syn. nov.
- (7) **E. brevisetus** (Hooker et Wils.) Jaeg. et Sauerb. in Ber. Thät. St. Gall. Nat. Ges. 1876-77: 291 (1879)
- Neckera breviseta* Hook. et Wils., Lond. Journ. Bot. **4**: 489, pl. 24, f. a (1842)
- E. calycinus* Card in Bull. Soc. Bot. Gén. 2 sér. **3**: 285 (1911) syn. nov.
- Platygyrium perichaetiale* Card. in Bull. Soc. Bot. Gén. 2 sér. **3**: 287 (1911)
- E. sakuraii* Broth. in Öv. Finsk. Vet. Soc. Forh. **62**: 28 (1920) syn. nov.
- E. perichaetialis* (Card.) Noguchi et Toyama ex Noguchi in Journ. Jap. Bot. **15**: 759 (1939) syn. nov.
- E. dependens* Sakurai in Bot. Mag. Tokyo **48**: 394 (1934)
- (8) **E. diversinervis** Card. in Bull. Soc. Bot. Gén. 2 Sér. **3**: 286 (1911)

Actinostoma japonica Reim. et Sakurai in Bot. Jahrb. **64**: 553, t. 20 (1931)

A. tokyoense Sakurai, Musc. Jap. 151 (1954), excl. syn. Besch. syn. nov.

(9) *E. scabridens* Lindb. in Acta Soc. Sci. Fenn. 10: 253 (1872)

E. pilifer Broth. et Paris ex Paris in Rev. Bryol. **31**: 61 (1904) syn. nov.

E. ohinatae Sh. Okam. in Journ. Coll. Sci. Imp. Univ. Tokyo **36** (7): 23, t. 12 (1915) syn. nov.

(10) *E. angustifolius* (Mitt.) Jaeg. et. Sauerb. in Ber. Thät. St. Gall. Nat. Ges. 1876-77: 287 (1879)

forma *angustifolius*

Stereodon angustifolius Mitt. in Journ. Proc. Linn. Soc. Suppl. Bot. **1**: 106 (1859)

E. henryi Paris et Broth. ex Paris in Rev. Bryol. **35**: 42 (1908) syn. nov.

Glossadelphus doii Sak. in Bot. Mag. Tokyo **49**: 143 (1935)

E. doii (Sak.) Sakurai in Bot. Mag. Tokyo **50**: 526 (1936) syn. nov.

forma *maebarae* (Noguchi) U. Mizushima stat. nov.

E. maebarae Noguchi in Journ. Jap. Bot. **13**: 90, f. 3 (1937)

(11) *E. obtusatus* Breth. in Sitzungsber. Akad. Wissensch. Wien Mathem-naturw. Klasse, Abt. 1, **131**: 216 (1922)

E. eurhynchioides Herz. et Noguchi in Journ. Hatt. Bot. Lab. **14**: 69, f. 23 (7-12) (1955) syn. nov.

ツヤゴケ属植物の再検植を行うに当り、多くの植物の名を組交える必要が生じたので
 欧文欄に見る如くこれを整理した。詳細については服部植物研究所報告 22 号を参照さ
 れ度い。なお本研究はその一部を文部省科学研究費交付金に負うものであり記して感謝
 の微意を表します。

○ 名古屋市で採集されたカヤツリグサ科植物(久内清孝) Kiyotaka HISAUCHI:

Two Casual Umbrella-Sedges found in Nagoya.

名古屋の上田 豊氏は昨年 8 月 27 日同市中切町にて *Cyperus javanicus* Houtt. (オ
 ニクゲ) を、また四日市港にて同年 9 月 10 日に *C. Eragrostis* Lam. (メリケンカヤ
 ツリ) をそれぞれとられた、これらは大井、小山両氏のかん定によるものでいづれも内
 地ではじめての採集であるが、沖縄ではすでに採集されている由。いづれもワングル
 に類似の一群である。